

## WP4

### NEMA Rated Outdoor Power Supply/Battery Enclosure

Altronix WP4 is a UL Listed, NEMA 4/IP 66 Rated outdoor power supply/battery and accessory enclosure with a metal backplane. It can accommodate a wide variety of Altronix power supplies, sub-assemblies, and other accessories.



WP4

### Specifications

#### Features

- Lightweight molded fiberglass reinforced polyester enclosure is corrosion resistant and does not contain halogens
- Lockable stainless steel latches
- Integral flanges simplify wall or pole mounting
- Includes metal backplane for mounting power and accessories

#### Capacity

- Enclosure accommodates two (2) 12VDC/4AH batteries

#### Agency Listings

UL Listed Enclosure

CE European Conformity

#### Physical and Environmental

##### Dimensions (H x W x D)


Enclosure:  
9.32" x 7.32" x 4.92" (236.7mm x 185.9mm x 125mm)

Shipping:  
13" x 10" x 7" (330.2mm x 254mm x 177.8mm)

##### Weight (approx.)

Product: 1.8 lb. (0.8 kg)  
Shipping: 2.6 lb. (1.17 kg)


### Accessories (order separately)



PMK1

#### PMK1 - Pole Mount Kit


PMK1 pole mount kit is designed to simplify installation of outdoor units. It accommodates 2" - 8" (diameter) poles.



Mounting Magnet

#### MM4, MM8, MM12, MM24 - Magnetic Mounting Solution

Altronix mounting magnets accommodate screws and nylon spacers to allow for mounting various boards/accessories in any metal enclosure or backplane.



Lock1WP

#### LOCK1WP - Pad Lock for Altronix Outdoor Enclosures

Altronix Lock1WP is a pad lock to secure the latches on Altronix outdoor enclosures. Includes a single pad lock and two (2) keys.



WG1

#### WG1 - NEMA Rated Wire Gland Inlet


Altronix WG1 facilitates wiring for all Altronix outdoor enclosures.

**WP4**

NEMA Rated Outdoor Power Supply/Battery Enclosure

**Altronix Position Chart for the Following Models:**

Altronix	Pem Mounting
OLS75, OLS120, OLS180, PoE60, PoE200, PoE201	A



**Dimensions and Drawing**

Dimensions (H x W x D approximate)

9.32" x 7.32" x 4.92" (236.7mm x 185.9mm x 125mm)

